

Acronym	Measure	What counts	CPT/HCPCS/POS codes
AAB	Avoidance of antibiotic treatment in adults with acute bronchitis	Applies to diagnosis Counts for any visit	Telephone visits: 98966-98968, 99441-99443 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483
AAP	Adult access to preventive/ambulatory health services	Counts for any visit	Telephone visits: 98966-98968, 99441-99443 Ambulatory: 99393-99397, 99401-99404, 99411-99412, 99429, 99483 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483
ADD	Follow-up care for children prescribed ADHD medication(s)	Only one of the two visits (during days 31–300) may be an e-visit or virtual check-in	Telehealth modifier: 95 or GT Telephone visits: 98966-98968, 99441-99443 Other Visits: 90791-90792, 90832-90834, 90836-90838, 90845, 90847, 99201-99205, 99212-99215, 99231-99233, 99241-99245, 99251-99255, 98960-98962 Telehealth POS: 02
AMB	Ambulatory care	Exclude visits for mental health or chemical dependency	Telephone visits: 98966 - 98968, 99441- 99443 Ambulatory outpatient visits: 92002-92014, 99201-99205, 99211-99215, 99241-99245, 99304-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99461, 99483
AMM	Antidepressant medication management	Applies to diagnosis Counts for any visit	Telephone visits: 98966 - 98968, 99441- 99443 Telehealth POS: 02 BH outpatient: 99393-99397, 99401-99404, 99411-99412, 99483, 99510 ED: 99281-99285 Visit setting unspecified: 90791-90792, 90832-90853, 90875-90876, 99221-99223, 99231-99239, 99251-99255
AMR	Asthma medication ratio	Identifies the eligible population	Telehealth modifier: 95 or GT Telephone visits: 98966-98968, 99441-99443 Observation: 99217-99220 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483 Telehealth modifier POS: 02
APP	Use of first-line psychosocial care for children or adolescents on antipsychotics	N/A	Telephone visits: 98966 - 98968, 99441-99443 Telehealth POS: 02 BH outpatient: 99393-99397, 99401-99404, 99411-99412, 99483, 99510 ED: 99281-99285 Visit setting unspecified: 90791-90792, 90832-90853, 90875-90876, 99221-99223, 99231-99239, 99251-99255
ART	Disease-modifying antirheumatic drug therapy for rheumatoid arthritis	Identifies the eligible population	Telephone visits: 98966 - 98968, 99441- 99443 ED: 99281-99285 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483
BCS	Breast cancer screening	Used to identify the advance illness exclusion only	Telephone visits: 98966 - 98968, 99441-99443 ED: 99281-99285 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483

Acronym	Measure	What counts	CPT/HCPCS/POS codes
CBP	Controlling High blood pressure	Blood pressure taken by the member is acceptable if taken with a digital device	Telephone visits: 98966-98968, 99441-99443 ED: 99281-99285 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483 Remote BP monitoring CPT codes: 93784, 93788, 93790, 99091, 99453-99457, 99473-99474 CPT/CAT-II codes (results): 3077F, 3074F, 3075F, 3079F, 3080F, 3078F
CDC	Comprehensive diabetes care - blood pressure control	Blood pressure taken by the member is acceptable if taken with a digital device	Telehealth modifier: 95 or GT Telehealth POS: 02 Telephone visits: 98966-98968, 99441-99443 ED: 99281-99285 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483 Remote BP monitoring CPT codes: 93784, 93788, 93790, 99091, 99453-99457, 99473-99474 CPT/CAT-II codes (results): 3077F, 3074F, 3075F, 3079F, 3080F, 3078F
COA	Care of older adults	Counts for: Functional status assessment Advance care planning Pain assessment	Functional status assessment: G0438, G0439 Advance care planning: 99483, 99497 Pain assessment: 1125F, 1126F Transitional care management: 99495-99496
COL	Colorectal cancer screening	Applies to diagnosis Counts for any visit	Telephone visits: 98966-98968, 99441-99443 ED: 99281-99285 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483
FMC	Follow-up after ED visit for people with multiple high risk chronic conditions	Counts for visits within seven days of the ED visit, including visits that occur on the date of the ED visits (total of eight days)	Telehealth POS: 02 Telephone visits: 98966-98968, 99441-99443 BH outpatient: 99393-99397, 99401-99404, 99411-99412, 99483, 99510 ED: 99281-99285 IET visits: 98960-98962, 99078, 99408-99409, 99510 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483 Transitional care management: 99495-99496 Visit setting unspecified: 90791-90792, 90832-90853, 90875-90876, 99221-99223, 99231-99239, 99251-99255

Acronym	Measure	What counts	CPT/HCPCS/POS codes
FUA	Follow-up after ED visit for alcohol or other drug abuse or dependence	Counts for both the seven and 30 day submeasures	Telehealth POS: 02 Telephone visits: 98966-98968, 99441-99443 ED: 99281-99285 IET visits: 98960-98962, 99078, 99201-99205, 99211-99215, 99241-99245, 99341-99350, 99384-99397, 99401-99409, 99411-99412, 99429, 99455-99456, 99483, 99510 IET visits 1: 90791-90792, 90832-90853, 90875-90876 IET visits 2: 99221-99223, 99231-99239, 99251-99255
FUH	Follow-up after hospitalization for mental illness	Counts for both the seven and 30 day submeasures	Telehealth POS: 02 Telephone visits: 98966 - 98968, 99441- 99443 BH outpatient: 99393-99397, 99401-99404, 99411-99412, 99483, 99510 Visit setting unspecified: 90791-90792, 90832-90853, 90875-90876, 99221-99223, 99231-99239, 99251-99255
FUM	Follow-up after ED viisit for mental illness	Counts for both the seven and 30 day submeasures	Telehealth POS: 02 Telephone visits: 98966-98968, 99441-99443 BH outpatient: 99393-99397, 99401-99404, 99411-99412, 99483, 99510 ED: 99281-99285 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Visit setting unspecified: 90791-90792, 90832-90853, 90875-90876, 99221-99223, 99231-99239, 99251-99255
IAD	Idenitification of alcohol or other drug services	N/A	Telehealth modifier: 95 or GT Telehealth POS: 02 Telephone visits: 98966-98968, 99441-99443 ED: 99281-99285 IAD outpatient: 96101-96105, 96110-96125, 98960-98962, 99078, 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483, 99510 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Visit setting unspecified: 90791-90792, 90832-90853, 90875-90876, 99221-99223, 99231-99239, 99251-99255
IET	Initiation and engagement of alcohol and other drug abuse or dependence	Counts for both initiation and engagement	Telephone visits: 98966-98968, 99441-99443 ED: 99281-99285 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 IET visits: 98960-98962, 99078, 99201-99205, 99211-99215, 99241-99245, 99341-99350, 99384-99397, 99401-99409, 99411-99412, 99429, 99455-99456, 99483, 99510 IET visits 1: 90791-90792, 90832-90853, 90875-90876 IET visits 2: 99221-99223, 99231-99239, 99251-99255
LBP	Low back pain	Identifies the event/diagnosis	Telephone visits: 98966-98968, 99441-99443 ED: 99281-99285 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483

Acronym	Measure	What counts	CPT/HCPCS/POS codes
MPT	Mental health utilization	N/A	Telehealth modifier: 95 or GT Telehealth POS: 02 Telephone visits: 98966-98968, 99441-99443 ED: 99281-99285 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483 MPT IOP/PH group 1: 90791-90792, 90832-90853, 90875-90876 MPT IOP/PH group 2: 99221-99223, 99231-99239, 99251-99255 MPT outpatient group 1: 96101-96105, 96110-96125 MPT outpatient group 2: 98960-98962, 99078, 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483, 99510
OMW	Osteoporosis management in women who had a fracture	Only counts for the exclusion criteria	Telehealth modifier: 95 or GT Telehealth POS: 02 Telephone visits: 98966-98968, 99441-99443 ED: 99281-99285 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483
PBH	Persistence of beta blocker treatment after a heart attack	Counts for the advanced illness exclusion	Telephone visits: 98966-98968, 99441-99443 ED: 99281-99285 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483
PPC	Prenatal and postpartum care	Counts for both prenatal and postpartum submeasures	Telephone visits: 98966-98968, 99441-99443 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Prenatal visits: 99201-99205, 99211-99215, 99241-99245, 99483 Standalone prenatal visits: 99500
SAA	Adherence to antipsychotic medication(s) for individuals with schizophrenia	Counts for identifying event/diagnosis and advanced illness exclusion	Telehealth POS: 02 Telephone visits: 98966-98968, 99441-99443 BH Nnn-acute inpatient: 99304-99318, 99324-99328, 99334-99337 BH outpatient: 99393-99397, 99401-99404, 99411-99412, 99483, 99510 ED: 99281-99285 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483 Visit setting unspecified: 90791-90792, 90832-90853, 90875-90876, 99221-99223, 99231-99239, 99251-99255

Acronym	Measure	What counts	CPT/HCPCS/POS codes
SMC	Cardiovascular monitoring for people with cardiovascular disease and schizophrenia	Only counts for identifying event/diagnosis	Telehealth modifier: 95 or GT Telehealth POS: 02 Telephone visits: 98966-98968, 99441-99443 BH non-acute inpatient: 99304-99318, 99324-99328, 99334-99337 BH outpatient: 99393-99397, 99401-99404, 99411-99412, 99483, 99510 ED: 99281-99285 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483 Visit setting unspecified: 90791-90792, 90832-90853, 90875-90876, 99221-99223, 99231-99239, 99251-99255
SMD	Diabetes monitoring for people with diabetes and schizophrenia	Only counts for identifying event/diagnosis	Telehealth modifier: 95 or GT Telehealth POS: 02 Telephone visits: 98966-98968, 99441-99443 BH non-acute inpatient: 99304-99318, 99324-99328, 99334-99337 BH outpatient: 99393-99397, 99401-99404, 99411-99412, 99483, 99510 ED: 99281-99285 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483 Visit setting unspecified: 90791-90792, 90832-90853, 90875-90876, 99221-99223, 99231-99239, 99251-99255
SPC	Statin therapy for patients with cardiovascular disease	Used to identify the eligible population	Telehealth modifier: 95 or GT Telehealth POS: 02 Telephone visits: 98966 -98968, 99441-99443 ED: 99281-99285 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483
SPR	Use of spirometry testing in the assessment and diagnosis of COPD	Used to identify the eligible population	Telephone visits: 98966 -98968, 99441-99443 ED: 99281-99285 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483
SSD	Diabetes screening for people with schizophrenia or bipolar disorder who are using antipsychotic medication(s)	Only counts for identifying event/diagnosis	Telehealth modifier: 95 or GT Telehealth POS: 02 Telephone visits: 98966-98968, 99441-99443 BH non-acute inpatient: 99304-99318, 99324-99328, 99334-99337 BH outpatient: 99393-99397, 99401-99404, 99411-99412, 99483, 99510 ED: 99281-99285 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483 Visit setting unspecified: 90791-90792, 90832-90853, 90875-90876, 99221-99223, 99231-99239, 99251-99255

Acronym	Measure	What counts	CPT/HCPCS/POS codes
TRC	Transitions of care	Only counts for Patient engagement after inpatient discharge sub measure.	Telehealth modifier: 95 or GT Telehealth POS: 02 Telephone visits: 98966-98968, 99441-99443 Online assessments: 98969-98972, 99421-99421-99423, 99444, 99458 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483 Transitional care management: 99495-99496
WCC	Weight assessment and counseling for nutrition and physical activity for children/adolescents	Counts for: Counseling for nutrition Counseling for physical activity	Nutrition counseling: 97802-97804, G0270, G0271 Physical activity counseling: G0447, S9451 Outpatient visits: 99201-99205, 99212-99215, 99241-99245, 99341-99350, 99381-99397, 99401-99404, 99411-99412, 99429, 99455-99456, 99483